## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	107	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:47
S2	47	S1 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S3	18	S1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/22 17:34
S4	11	S3 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:48
S5	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S6	0	S5 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S7	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 12:27
S8	1	S7 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S9	0	proxy with web with server with S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:44
S10	2	S7 andproxy with web with server	US-PGPUB; US-PAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/02/26 13:44

S11	1	S7 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S12	816	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:50
S13	0	S7 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51
S14	2	S7 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 13:51
S15	2	S7 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:12
S16	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S17	40	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:13
S18	22	S17 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:26
S19	36	[("5640394") or ("6070199") or ("6126680") or ("6126680") or ("6226680") or ("6226680") or ("6226680") or ("623600") or ("6262681") or ("6334163") or ("6380078") or ("6393458") or ("64600800") or ("654628") or ("6567508") or ("6567508") or ("6567508") or ("69775708") or ("6826997") or ("69775708") or ("6826997") or ("69775708") or (	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/26 14:28
S20	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S21	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28

S22	2	20030037154*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S23	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/26 14:28
S24	3	20040024873*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19
S25	64	proxy with fallover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S26	7	\$25.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:19
S27	1	S25.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:26
S28	760	709/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:51
S29	11657	709/220,222,224,228,236,237.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:52
S30	107	(fallover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S31	o	S28 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S32	10	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:53
S33	299	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:42

S34	187	\$33 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:44
S35	37	\$33. ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S36	29	\$35 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:30
S37	2026	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S38	131	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 14:43
S39	71	\$38 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:18
S40	2	"20030200485"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 15:50
S41	2	*6857004*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/06/14 15:50
S42	61	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/07/23 14:48
S43	5	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:49
S44	5	S43 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:52
S45	636	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:51

S46	33	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:56
S47	15	S46 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S48	687	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S49	42	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 14:57
S50	27	S49 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S51	82	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S52	91	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S53	63	S52 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/23 15:06
S54	140	(fallover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S55	56	S54 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S56	25	S54.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S57	14	S56 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S58	0	"70706555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2007/11/27 17:11
S59	0	S58 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S60	2	"7076555".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S61	1	S80 and synchroniz\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S62	0	proxy with web with server with S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S63	2	S60 andproxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S64	1	S60 and proxy with web with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S65	947	web with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S66	O	S60 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S67	2	S60 and server and ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S68	2	S60 and server with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S69	0	delet\$3 with cop\$3 with data with ack\$ with receipt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S70	45	delet\$3 with cop\$3 with data with ack\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S71	23	S70 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S72	36	{("5640394") or ("6070199") or ("613846") or ("6172980") or ("6226680") or ("6247060") or ("6226585") or ("6334153") or ("6338078") or ("6393458") or ("6338078") or ("65934628") or ("6567884") or ("65629697") or ("6665725") or ("675706") or ("6629697") or ("6909713")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/27 17:11
S73	2	"20020016843"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S74	6	"20020174218" "20030014662"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S75	2	"20030037154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S76	2	"20030079033"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S77	3	"20040024873"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S78	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S79	10	S78.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S80	1	\$78.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S81	76	proxy with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S82	852	709/248.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S83	13294	709/220,222,224,228,236,237.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S84	140	(fallover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S85	0	S92 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S86	14	S83 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S87	319	ack\$8 with (fallover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S88	38	S97.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S89	29	S88 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S90	190	S87 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S91	2215	(inform\$3 ack\$8) with (failover standby handover)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S92	147	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S93	73	S92 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S94	2	"20030200465"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S95	2	*6857004*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S96	64	acknowledgement with withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S97	6	acknowledg\$7 adj3 withhold\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S98	5	S97 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S99	690	acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S100	40	acknowledg\$7 with failover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S101	18	S100 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S102	725	acknowledg\$7 with primary with secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S103	47	acknowledg\$7 with primary with secondary with (proxy server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S104	27	S103 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11

S105	97	acknowledg\$7 with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S106	106	(acknowledg\$7 ack) with primary with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S107	66	S106 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 17:11
S108	141	acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:40
S109	0	withhold\$4 with acknowledg\$7 with proxy with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S110	5	withhold\$4 with acknowledg\$7 with client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S111	2	withhold\$4 with acknowledg\$7 with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S112	0	S111 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S113	3	S110 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:41
S114	5	withhold\$4 with acknowledg\$7 with server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:43
S115	4	S114 and @ad<"20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 08:43
S116	4	"6754703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 09:40

S117	2	**6122664*.pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:10
S118	14987	709/220,222,224,228,236,237.cols.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S119	177	(failover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S120	16	S118 and S119	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S121	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S122	40	S121.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S123	28	S122 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S124	28	S123	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S125	194	(inform\$3 ack\$8) with (failover handover) with complet\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S126	77	S125 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S127	77	S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:53
S128	14987	709/220,222,224,228,236,237.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

S129	177	(fallover standby) with proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S130	16	S128 and S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S131	16	S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S132	388	ack\$8 with (failover standby)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S133	193	S132 and @ad< "20030912"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54
S134	193	S133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:54

## 8/19/08 12:33:24 PM

C:\ Documents and Settings\ awang2\ My Documents\ EAST\ Workspaces\ 10661096.wsp